

## 2-2. Instrument cluster

### Gauges and meters



The units used on the speedometer and the tachometer gauge display may differ depending on the model/type.

The following gauges and meters illuminate when the engine switch is in the ON position.

**1** Tachometer

Displays the engine speed in revolutions per minute.

**2** Speedometer

Displays the vehicle speed.

**3** Fuel gauge

Displays the quantity of fuel remaining in the tank.

**4** Engine coolant temperature gauge

Displays the engine coolant temperature.

**5 Odometer/Trip meter/Dynamic laser cruise control display**

## ▶ Dynamic laser cruise control display

→P. 159

## ▶ Odometer

Displays the total distance the vehicle has been driven.

## ▶ Trip meter

Displays the distance the vehicle has been driven since the meter was last reset. Trip meters A and B can be used to record and display different distances independently.

**6 Odometer/trip meter and trip meter reset button**

Switches between odometer and trip meter displays. Pushing and holding the button will reset the trip meter when the trip meter is being displayed.

**Instrument panel light control**

The brightness of the instrument panel lights can be adjusted.

**1** Darker**2** Brighter**! NOTICE****■ To prevent damage to the engine and its components**

- Do not let the indicator needle of the tachometer enter the red zone, which indicates the maximum engine speed.
- The engine may be overheating if the temperature gauge is in the red zone (H). In this case, immediately stop the vehicle in a safe place. Check the engine after it has cooled completely. (→P. 424)

## 2-2. Instrument cluster

### Indicators and warning lights

The indicator and warning lights on the instrument cluster and center panel inform the driver of the status of the vehicle's various systems.

#### ► Instrument cluster



The units used on the speedometer and the tachometer gauge display may differ depending on the model/type.

#### ► Center panel



## ■ Indicators

The indicators inform the driver of the operating state of the vehicle's various systems.



Turn signal indicator  
(→P. 125, 126)



Headlight high beam indicator (→P. 137, 140)



Headlight indicator  
(U.S.A.) (→P. 137, 140)



(Canada)

Tail light indicator  
(→P. 137, 140)



(vehicles with a standard automatic transmission)

Shift position indicator (→P. 120)



Cruise control indicator  
(→P. 156, 159)



(vehicles with dynamic laser cruise control)

Conventional cruise control indicator  
(→P. 159)



(vehicles with dynamic laser cruise control)

Ready mode indicator  
(→P. 159)



VSC OFF indicator  
(→P. 170)



Slip indicator  
(→P. 169)



(vehicles with discharge headlights)

AFS OFF indicator  
(→P. 138, 141)

**■ Indicators**

The indicators inform the driver of the operating state of the vehicle's various systems.



(vehicles with a multi-mode automatic transmission)  
Shift position and shift range indicators (→P. 120)



(if equipped)  
Electronically modulated air suspension indicator  
(→P. 174)



ECT SNOW indicator  
(→P. 122)




\* AIR BAG ON indicator  
(→P. 90)



\* AIR BAG OFF indicator  
(→P. 90)

**Warning lights**

Warning lights inform the driver of malfunctions in any of the vehicle's systems.



\*: These lights turn on when the engine switch is turned to the ON position to indicate that a system check is being performed. They will turn off after the engine is started, or after a few seconds. There may be a malfunction in a system if a light does not come on, or if the lights do not turn off. Have the vehicle inspected by your Lexus dealer.

**CAUTION**

**If a safety system warning light does not come on**

Should a safety system light such as ABS, VSC and the SRS airbag warning light not come on when you start the engine, this could mean that these systems are not available to help protect you in an accident, which could result in death or serious injury. Have the vehicle inspected by your Lexus dealer immediately if this occurs.

## 2-2. Instrument cluster

# Trip information display

The trip information display presents the driver with a variety of driving-related data.



### 1 Trip information display

- Driving time
- Average vehicle speed
- Average fuel consumption
- Current fuel consumption
- Driving distance
- Driving range

## Display and operation



Display items can be switched by pushing the INFO switch.

### ■ Driving time



Displays the elapsed time after the engine starts.

When the engine is started, driving time is counted from 0:00. Up to 11:59 (11 hours, 59 minutes) can be displayed.

### ■ Average vehicle speed



Displays the average vehicle speed since the engine was started or the function was reset.

The function can be reset by pushing the INFO switch for longer than one second when the average vehicle speed is displayed.

### ■ Average fuel consumption



Displays the average fuel consumption since the vehicle was last refueled.

### ■ Current fuel consumption



Displays the current rate of fuel consumption.

### ■ Driving distance



Displays the driving distance since the engine was started.

The function can be reset by pushing the INFO switch for longer than one second when the driving distance is displayed.




■ Driving range



Displays the estimated maximum distance that can be driven with the quantity of fuel remaining.

- This distance is computed based on your average fuel consumption. As a result, the actual distance that can be driven may differ from that displayed.
- When only a small amount of fuel is added to the tank, the display may not be updated.

 **CAUTION**

■ **Caution while driving**

Do not adjust the display while driving.  
Doing so may cause the driver to mishandle the vehicle and an accident, resulting in death or serious injury.